

BLOWERS

Powerful, Productive, and Quiet.

An ECHO Leaf Blower will make quick work of any yard clean-up. Our line-up includes both handheld and backpack configurations with many operator-friendly features like comfortable handles with “cruise control”, padded backrests and shoulder straps, Posi-Loc™ tubes for secure pipe connections, and ProFire® ignitions for quick and easy starts. Most backpack blowers are available in either tube-mounted or hip-mounted throttles. And with the most certified low noise blowers available (65 dB(A)), ECHO blowers will perform in noise-sensitive environments. All ECHO Blowers are backed by a 5-year consumer and 2-year commercial warranty.



ECHO Blower Features and Benefits

- A** Posi-loc™ pipes for a secure connection
- B** i-30™ starting system for easy starts
- C** Padded backrest and shoulder straps for comfort
- D** Low noise, 65 dB(A) or less, output for noise sensitive environments
- E** Pleated, automotive-style air filter for superior filtration
- F** Hip-mounted throttle with cruise control for operator convenience
- G** Tube-mounted throttle with cruise control for operator convenience
- H** Roll-cage frame for lightweight durability
- I** “L”-style frame for impact damage resistance
- J** Leaf guard for keeping debris out of fan intake
- K** Extra-flexible tube for cold weather operation
- L** Wide-angle tube rotation for optimum mobility
- M** Rotational control for reduced operator fatigue
- N** Grouped controls with “cruise” for operator convenience
- O** Rubber top handle grip for comfort and control
- P** Parallel handles for all-position operation
- Q** Flared-end pipe for moving heavy or wet debris



ECHO-Exclusive Vented Back Pad allows air to circulate around the user for comfortable all day operation on hot days

HANDHELD BLOWERS



PB-250

Outstanding handheld performance and light weight.

- 25.4 cc professional-grade, 2-stroke engine
- 391 CFM and 165 MPH

A D M N



PB-255


A step up in features with low noise performance, 64 dB(A) or less.

- 25.4 cc professional-grade, 2-stroke engine
- 354 CFM and 191 MPH

A D M N O P Q

“ROTATIONAL CONTROL”

ECHO reduced the effort required to keep the blower from rotating in towards the operator's legs (like most handheld models do) and actually delivers a slight pull away from the operator (green section). The effect makes the blower easier to handle and reduces stress on the operator's arm.



For more information on ECHO Blowers including specifications, attachments and accessories, scan this QR code with your smartphone's QR code app.



800-432-ECHO
WWW.ECHO-USA.COM
ONLY PROFESSIONAL GRADE

BACKPACK BLOWERS



PB-265L

Comfortable operation and low noise performance, 64 dB(A) or less.

- 25.4 cc professional-grade, 2-stroke engine
- 375 CFM and 158 MPH

A B C D F



PB-460LN

The "Quiet 1": Only 65 dB(A) at wide open throttle.

- 44 cc professional-grade, 2-stroke engine
- 383 CFM and 201 MPH

C D E F H



PB-500

Combines dependability and comfort with economical performance.

- 50.8 cc stratified-technology, 2-stroke engine
- 465 CFM and 195 MPH
- Available in hip (PB-500H shown) or tube (PB-500T) throttles

A C E F or G I J N



PB-755S

Combines dependability and comfort with economical performance.

- 63.3 cc professional-grade, 2-stroke engine
- 651 CFM and 233 MPH
- Available in hip (PB-755SH) or tube (PB-755ST shown) throttles

A C E F or G H K L N




PB-770

Industry best combination of air speed and air volume.

- 63.3 cc professional-grade, 2-stroke engine
- 756 CFM and 234 MPH
- Available in hip (PB-770H shown) or tube (PB-770T) throttles

A C F or G J K L N

ECHO - THE PERFORMANCE LEADER



BLOWER SPECIFICATIONS

Blower Accessories pg. 11

Blower Model	Blower Type	Engine Disp. (cc)	Carb. (w/Purge Pump)	Starting System	Fuel Cap. (fl. oz.)	Helper Handle	Air Volume (cfm-pipe)	Maximum Air Speed (mph-pipe)	Average Air Speed (mph-pipe)	Noise Level dB(A)*	Dry Weight (lb)
PB-250	Handheld	25.4	Rotary	Standard	16.9	N.A.	391	165	137	65	9.9
PB-255	Handheld	25.4	Diaphragm	Standard	16.9	N.A.	354	191	157	64	10.4
PB-265L	Backpack	25.4	Rotary	i-30™	21	Standard	375	158	131	64	13.3
PB-460LN	Backpack	44	Diaphragm	Standard	64	Standard	383	201	167	65	26.4
PB-500H/T	Backpack	50.8	Diaphragm	Standard	61.2	Standard	465	195	163	70	22.9
PB-755SH/T	Backpack	63.3	Rotary	Standard	68.3	Standard	651	233	195	74	24.7
PB-770H/T	Backpack	63.3	Diaphragm	Standard	68.3	Standard	756	234	196	73	24.3

POSI-LOC™ SECURE CONNECTION



i-30™ STARTING SYSTEM



ROTATIONAL CONTROL



BLOWER ACCESSORIES



PBAM-400E

Turns your ECHO PB-410 blower into a high-productivity mister for greenhouse and garden insect control applications. Sprays up to 20'.



Blower Tube Helper Handle

Accurately direct your blower velocity to where it's most productive.



Rain Gutter Cleaning Kit

Makes year-round gutter cleaning easier. Tubes are approximately 7' long when assembled.

BLOWER ACCESSORIES

Model	Vacuum Attachments	Mister Attachment	Replacement Vacuum Bags	Shoulder Straps	Tube Mount Throttle			Rain Gutter Kit	Posi-loc™ Rain Gutter Kit	Blower Handles		Curved Blower Tube**	Posi-loc™ Curved Blower Tube	Static Protection Kit	Cruise Control Kit	
	PBAM-4600*	PBAM-400E	99944100206	99944100030	99944100001	99944100002	99944100003	99944100010	99944100025	001106	001107	21002303461	99944200222	E165000160	900500	9001014
PB-210/211				•				•								
PB210E				•				•								
PB-230LN/231LN				•				•	•							
PB-250									•							
PB-251									•					•		
PB-255			•						•					•		
PB-260L/261L								•		•		•			•	
PB-265L									•							
PB-400								•								
PB-400E		•						•								
PB-403/413	•							•		•					•	•
PB-410/411		•						•		•					•	
PB-460LN/461LN	•				•			•		•					•	
PB-500									•					•	•	
PB-600	•				•	•		•		•				•	•	
PB-601	•							•				•		•	•	
PB-610	•					•			•	•				•	•	
PB-620	•								•					•	•	•
PB-651							•		•	•				•	•	
PB-751							•		•	•				•	•	
PB-755S									•	•				•	•	
PB-755									•	•				•	•	
PB-770									•	•						
ES-210			•	•				•								
ES-230			•	•				•								
ES-250			•	•					•							
ES-255			•	•					•					•		

POSI-LOC™ SECURE CONNECTION



i-30™ STARTING SYSTEM



PATENTED SHREDDER BLADE

