




BED REDEFINER



Flower bed and mulch bed edges erode over time and need to be redefined to maintain a fresh, welcome appearance. The BRD-2620 cuts a crisp, beveled groove along the turf edge, leaving a professional, manicured finish. The replaceable six-finger cutting claw is manufactured from high-grade steel with specially designed carbide tips on each cutter for improved durability and performance that does the job 7x faster than a shovel!



BRD-2620 Bed Redefiner



Working 7x faster than a manual shovel, the BRD-2620 straight-shaft bed redefiner cuts through tough dirt with six powerful claws to maintain the edges of flower and garden beds for a clean, elegant appearance.

- Redefines bed edges up to 7x faster than a shovel
- Replaceable cast-steel blade with brazed, carbide tips
- Tool-less access, two-stage air filtration system dramatically increases ease of maintenance

Engine (cc)	25.4
Weight (lbs.)	17.7
Blade Length (in.)	7.75
Fuel Capacity (fl. oz.)	20.6

ECHO BED REDEFINER ACCESSORIES

REPLACEMENT CLAW

Exclusively for use with the BRD-2620 and the PAS Bed Redefiner attachment.

Part#: 99944208000



SPECIFICATIONS

Engine Disp. (cc)	Fuel Cap. (fl. oz.)	Gear Ratio	Debris Shield	Dry Weight (lbs.)
25.4	20.6	2:1	Die-Cast Metal/Nylon	17.7





BLOWERS



ECHO's best-in-class line of blowers includes both handheld and backpack models. All come equipped with professional features to give you maximum productivity and ultimate power. Standard features include comfortable handles with "cruise control" and backpack models feature padded backrests and shoulder straps, Posi-loc™ tubes for secure pipe connections and advanced ignitions for quick and easy starts. All of ECHO's backpack blowers (except the PB-265LN) are available in either tube-mounted or hip-mounted throttles.

SUGGESTED BLOWER APPLICATION



PB-2520

Handheld Blower



The PB-2520 handheld blower is built to power through long days without making them feel like long days. For homeowners, it's a powerful, no-nonsense tool for effortless cleanup.

- Category leading blower performance
- Double-grid intake design reduces clogging
- Exclusive curved blower tube provides rotational control to reduce user fatigue
- Shoulder harness attachment points allow the use of shoulder harness (sold separately) to support weight of unit

Engine (cc)	25.4
Weight (lbs.)	8.6
Fuel Capacity (fl. oz.)	18.6
Max Air Speed at Nozzle (mph):	170
Newton Blowing Force (N) at Nozzle	15.8
Air Volume at Nozzle (CFM)	453
Noise Level (dB(A))*	70

PB-255LN

Handheld Blower



The handheld, low-noise PB-255LN emits only 65 decibels* while still delivering a blowing force of 354 CFM at 191 MPH.

- Low noise output for use in sensitive environments
- Flared end pipe increases air speed
- Parallel handles aid in directional operation
- Includes round and flared tubes

*Per ANSI B175.2-2012

Engine (cc)	25.4
Weight (lbs.)	10.2
Fuel Capacity (fl. oz.)	16.9
Max Air Speed at Nozzle (mph): 160¹/191²	
Newton Blowing Force (N) at Nozzle	13
Air Volume at Nozzle (CFM)	354¹/345²
Noise Level (dB(A))*	65

¹With round tube. ²With flared tube.



PB-2620

Handheld Blower



The PB-2620 handheld blower comfortably powers through leaves and debris for easy all-season cleanup. Built for professionals on the move, it also features a cruise-control throttle and a secondary handle for added comfort and maneuverability.

- Best-in-class handheld blower with professional features
- Double-grid intake design reduces clogging

- Includes both round and flared pipes for a variety of applications

¹With round tube.

Engine (cc)	25.4
Weight (lbs.)	9.8
Fuel Capacity (fl. oz.)	20.3
Max Air Speed at Nozzle (mph):	172¹
Newton Blowing Force (N) at Nozzle 15.8¹	
Air Volume at Nozzle (CFM)	456¹
Noise Level (dB(A))*	70

ES-250

Shred 'N' Vac®



When it's time for a fast, reliable cleanup, the ES-250 Shred N Vac® delivers the power and flexibility needed get the job done. It starts easily and quickly converts from a blower to a vacuum/shredder, saving homeowners time, space and effort.

- Three tools in one: easily converts from blower to vacuum/shredder
- Patented 4-blade shredding mechanism reduces debris by a ratio of 12:1
- 2-bushel collection bag with rear zipper for convenient emptying

Engine (cc)	25.4
Weight (lbs.)	12.6
Fuel Capacity (fl. oz.)	16.9
Max Air Speed at Nozzle (mph):	165
Newton Blowing Force (N) at Nozzle	12.5
Air Volume at Nozzle (CFM)	392
Noise Level (dB(A))*	70

*per ANSI B175.2-2012



PB-265LN

Backpack Blower



The lightweight, low-noise PB-265LN backpack blower produces a 65-decibel* whisper but still pushes 375 CFM at 158 MPH, allowing users to abide by noise regulations while blowing through long to-do lists.

- Great performance from a lightweight backpack blower
- Low noise output for noise-sensitive environments
- Variable speed throttle with cruise control for operator convenience
- Hip-mounted throttle

*Per ANSI B175.2-2012

Engine (cc)	25.4
Weight (lbs.)	13.3
Fuel Capacity (fl. oz.)	22.3
Max Air Speed at Nozzle (mph):	158
Newton Blowing Force (N) at Nozzle ..	11
Air Volume at Nozzle (CFM)	375
Noise Level (dB(A))*	65



PB-580

Backpack Blower



The PB-580 backpack blower is designed for the oversized demands of professionals. From light mowing cleanups to wet, heavy leaves, it provides all-day productivity and all-day comfort.

- Available with hip- (PB-580H) or tube- (PB-580T) mounted throttle with cruise control
- Powerful and cost-effective
- Comfortable backrest and shoulder pads

Engine (cc)	58.2
Weight (lbs.) H/T.	22.9/22.7
Fuel Capacity (fl. oz.)	62
Max Air Speed at Nozzle (mph):	216
Newton Blowing Force (N) at Nozzle ..	22
Air Volume at Nozzle (CFM)	517
Noise Level (dB(A))*	70



PB-755S

Backpack Blower



The PB-755S backpack blower pushes 651 CFM at 233 MPH. With easy maintenance and ergonomic designs for all-day comfort, it makes the toughest cleanups a breeze.

- Available with hip- (PB-755SH) or tube- (PB-755ST) mounted throttle with cruise control
- Professional design built for durability and ease of maintenance
- Pleated, automotive-style air filter for superior filtration

Engine (cc)	63.3
Weight (lbs.)	24.7
Fuel Capacity (fl. oz.)	62
Max Air Speed at Nozzle (mph):	233
Newton Blowing Force (N) at Nozzle ..	28
Air Volume at Nozzle (CFM)	651
Noise Level (dB(A))*	74



PB-760LN

Backpack Blower



The most powerful low noise gas blower on the market. The PB-760LN backpack blower produces 535 CFM at 214 MPH while emitting only 65 decibels*. It's the perfect tool for big jobs in quiet neighborhoods.

- Available with hip- (PB-760LNH) or tube- (PB-760LNT) mounted throttle with cruise control
- Professional features with padded backrest & shoulder straps
- Low noise output for noise sensitive environments
- Side-mounted, heavy-duty, dual-stage air filtration for long engine life

*Per ANSI B175.2-2012

Engine (cc)	63.3
Weight (lbs.) H/T.	26.5/26.2
Fuel Capacity (fl. oz.)	68.3
Max Air Speed at Nozzle (mph):	214
Newton Blowing Force (N) at Nozzle ..	21
Air Volume at Nozzle (CFM)	535
Noise Level (dB(A))*	65



*per ANSI B175.2-2012



ECHO X SERIES PB-770 Backpack Blower

The industry's best combination of air speed and air volume. The PB-770 backpack blower moves an astounding 756 CFM at 234 MPH.

- Available with hip- (PB-770H) or tube- (PB-770T) mounted throttle with cruise control
- Side mounted, heavy duty, dual-stage air filtration system for longer engine life
- Padded shoulder straps and backrest
- Exclusive vented back pad provides cooling air that circulates around the user for comfort in hot weather

Engine (cc)	63.3
Weight (lbs.) H/T.	24.5/24.3
Fuel Capacity (fl. oz.)	68.3
Max Air Speed at Nozzle (mph):	234
Newton Blowing Force (N) at Nozzle	33
Air Volume at Nozzle (CFM)	756
Noise Level (dB(A))*	74



ECHO X SERIES PB-9010 Backpack Blower

The world's most powerful backpack blower. The PB-9010 backpack blower is a professional-grade windstorm built to power through the toughest workdays with ease.

- Available with hip- (PB-9010H) or tube- (PB-9010T) mounted throttle with cruise control
- High performance 2-stroke engine provides durable and reliable power
- 2-stage air filter extends engine life
- Patented tube wear ring

Engine (cc)	79.9
Weight (lbs.) H/T.	27.5/27.2
Fuel Capacity (fl. oz.)	83.8
Max Air Speed at Nozzle (mph):	220
Newton Blowing Force (N) at Nozzle	48
Air Volume at Nozzle (CFM)	1,110
Noise Level (dB(A))*	80

ECHO BLOWER ACCESSORIES

Blower and Shred 'N' Vac® Rain Gutter Kit

Provides up to 15 ft. of reach with 7 ft. of extension tubes.
Fits PB-2520, PB-255LN, PB-2620, ES-250 PB-265LN, PB-580, and PB-755S.
Part#: 99944100026 Posi-loc™



Curved Tube

Angled design allows increased control when directing air flow.
Fits PB-760LN, PB-770
Part#: E165000730



Blower Strap

Fits PB-2520, PB-2620, DPB-2500
Part#: 99944100030



*per ANSI B175.2-2012



BLOWERS

	PB-2520	PB-255LN	PB-2620	PB-265LN	PB-580H	PB-580T	PB-755SH	PB-755ST	PB-760LNH	PB-760LNT	PB-770H	PB-770T	PB-9010H	PB-9010T	ES-250
Features and Benefits															
Posi-loc™ pipes for a secure connection	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
i-30™ starting system for 30% starting effort reduction				•											
Padded backrest and shoulder straps for comfort				•	•	•	•	•	•	•	•	•	•	•	•
Low-noise, 65 dB(A), output for noise-sensitive environments		•		•					•	•					
Pleated, automotive-style air filter for superior filtration			•		•	•	•	•	•	•	•	•	•	•	•
Professional-grade felt air filtration for long engine life	•	•		•											•
Hip-mounted throttle with cruise control				•	•		•		•		•		•		
Tube-mounted throttle with cruise control						•	•		•		•		•	•	
"L"-style frame for impact damage resistance				•	•	•	•	•	•	•	•	•	•	•	•
Leaf guard for keeping debris out of fan intake				•	•	•	•	•	•	•	•	•	•	•	•
Extra-flexible tube for cold weather operation				•	•	•	•	•	•	•	•	•	•	•	•
Wide-angle tube rotation for optimum mobility				•	•	•	•	•	•	•	•	•	•	•	•
Rotational control for reduced operator fatigue	•														•
Rubber top handle grip for comfort and control		•	•												
Parallel handles for all-position operation		•	•												•
Flared-end pipe for moving heavy or wet debris		•	•												
Throttle with cruise control for operator convenience	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
35 in. long intake tube for easy reach															•
Patented, 4-blade shredding mechanism for optimum debris reduction															•
2-bushel collection bag with rear zipper for convenient emptying															•

SPECIFICATIONS

Model	Blower Type	Engine Disp. (cc)	Carb. (Purge Pump)	Starting System	Fuel Cap. (fl. oz.)	Air Volume* (CFM-pipe)	Maximum Air Speed* (MPH-pipe)	Newtons (N)	Noise Level dB(A)	Dry Weight** (lbs.)
PB-2520	Handheld	25.4	Yes	Standard	18.6	453	170	15.8	70	8.6
PB-255LN	Handheld	25.4	Yes	Standard	16.9	354	191	13	64	10.2
PB-2620	Handheld	25.4	Yes	Standard	20.3	456	172	15.8	70	9.8
PB-265LN	Backpack	25.4	Yes	i-30™	22.3	375	158	11	65	13.3
PB-580H/T	Backpack	58.2	Yes	Standard	62.0	517	216	22	70	22.9/22.7
PB-755SH/T	Backpack	63.3	Yes	Standard	62	651	233	28	74	24.7
PB-760LNH/T	Backpack	63.3	Yes	Standard	68.3	535	214	21	65	26.5/26.2
PB-770H/T	Backpack	63.3	Yes	Standard	68.3	756	234	33	74	24.5/24.3
PB-9010H/T	Backpack	79.9	Yes	Standard	83.8	1,110	220	48	80	26.4/26.7
ES-250	Shred 'N' Vac*	25.4	Yes	Standard	16.9	392	165	12.5	70	12.6

*per ANSI B175.2-2012 **with blower pipe